CONTENTS OF VOLUME 32

NUMBER 1

Articles

Eulimnadia texana Packard (Conchostraca: Limnadiidae) in rice fields in southwestern Louisiana. *Malcolm F. Vidrine, Stanley L. Sissom,* and *Roy E. McLaughlin* 1

Geographic distribution of two Costa Rican species of *Orthogeomys,* with comments on dorsal pelage markings in the Geomyidae. *Mark S. Hafner* and *David J. Hafner* 5

Clutch parameters and pond use in some Chihuahuan Desert anurans. *Bruce D. Woodward* 13

Plant communities of a large arroyo at Punta Cirio, Sonora. *Lawrence A. Leitner* 21

Phenological and climatic patterns in three tallgrass prairies. *Karen K. Kebart and Roger C. Anderson* 29

Interspecific competition and resource utilization between bumblebees. *R. L. Soltz* 39

Sexual dimorphism and morphometric variation in the Texas kangaroo rat (*Dipodomys elator* Merriam 1894). *Troy L. Best* 53

Nutritional composition of the Great Salt Lake strain of brine shrimp reared in a manure/aquaculture system. *Matthew Landau* 61

Paralimnetis mapimi nueva especie (Crustacea: Conchostraca), un nuevo camaron almeja del Desierto Chihuahuense en el norte de Mexico. *Alejandro M. Maeda-Martinez* 67

Key to the anuran tadpoles of Mexico. *Ronald Altig* 75

Metazoan parasites of *Recurvirostra americana* Gmelin (Aves), from southwestern Texas and Monte Vista National Wildlife Refuge, Colorado, with a checklist of helminth parasites hosted by this species in North America. *Carlos A. Garcia* and *Albert G. Canaris* 85

Reproduction in the checkered garter snake, *Thamnophis marcianus,* from southern Texas and northeastern Mexico: seasonality and evidence for multiple clutches. *Neil B. Ford* and *John P. Karges* 93

Distribution and relative abundance of the flat-tailed horned lizard (*Phrynosoma mcallii*) in Arizona. *James C. Rorabaugh, Carolyn L. Palermo,* and *Steven C. Dunn* 103

Mother-young interactions in aoudads, *Ammotragus lervia. Khushal Habibi* 111

Flavonoid analysis of *Oenathera speciosa* (Onagraceae). *John E. Averett, Shong Huang,* and *Warren L. Wagner* 117

Synchrony of cliff swallow nesting and development of the tick, *Ixodes baergi. R. Weldon Larimore* 121

Notes

Intra- and interspecific variation in spadefoot toad (*Scaphiopus*) clutch parameters. *Bruce Woodward* 127

Ischnura posita (Hagen) and *Telebasis salva* (Hagen) (Odonata: Coenagrionidae) as potential fungal dispersal agents. *B. L. Frye* and *J. V. Robinson* 131

Additional records of Mexican mammals. *Guillermina Urbano-Vidales, Oscar Sánchez-Herrera, Guadalupe Téllez-Girón,* and *Rodrigo A. Medellin L.* 134

A possible cleaning symbiosis between *Pica pica* and *Odocoileus hemionus. Susan Weinberg Margulis* 138

A woodland musk ox, *Symbos cavifrons* (Artiodactyla: Bovidae), from Bayou Sara, Louisiana. *J. N. McDonald* and *K. C. Corkum* 139

Agonistic behavior in Attwater's pocket gopher, *Geomys attwateri. Michael J. Gregory, Guy N. Cameron, Lisa M. Combs,* and *Lawrence R. Williams* 143

Phototaxis and activity pattern sof *Siren intermedia. Adam Asquith* and *Ronald Altig* 146

Overt sexual behavior among female aoudads. *Khushal Habibi* 148

The fringed myotis, *Myotis thysanodes,* in west-central Texas. *J. Knox Jones, Jr., Robert R. Hollander,* and *Richard W. Manning* 149

Bobcat predation on a red-tailed hawk. *Eric N. Anderson* 149

Contributions to the floral ecology of Texas and Chihuahuan *Argemone* (Papaveraceae). *Edward L. Schneider, George K. Rich, Rosario Barnentos,* and *Joseph R. Koke* 150

Coyote food habits in southeastern Arizona. *Joseph Charles Ortega* 152

Cannibalism and possible predation by an adult bobcat (*Felis rufus*). *David S. Zezulak* and *Steven C. Minta* 155

Number 2

Articles

Post-settlement history of mammals in western Kansas. *Jerry R. Choate* 157

Reproductive ecology of *Manfreda brachystachya*, an iteroparous species of Agavaceae. *Luis Eguiarte* and *Alberto Búrquez* 169

Late Quaternary mammals from the Hueco Mountains, El Paso and Hudspeth counties, Texas. *Thomas R. Van Devender, George L. Bradley,* and *Arthur H. Harris* 179

Social interactions and habitat overlap between plain and bridled titmice. *Philip K. Gaddis* .. 197

Altitudinal variation in thermal behavior of the grasshopper *Circotettix rabula* (Rehn and Hebard) from central Colorado. *J. E. Gillis* and *Pamela Ann Smeigh* 203

Distribution of fishes in the Black River Drainage, Eddy County, New Mexico. *David E. Cowley* and *James E. Sublette* 213

Lista zoogeografica y ecologica de la ictiofauna continental de Chiapas, Mexico. *Ma. de Lourdes Lozano Vilano* y *Salvador Contreras Balderas* 223

Fossil armadillos in Nebraska: the northernmost record. *M. R. Voorhies* 237

A new species of ant-acacia (Fabaceae) from Mexico. *John E. Ebinger* and *David S. Seigler* 245

Abundance and habitat use of an uncommon fish, *Notropis perpallidus* (Cyprinidae): comparison with sympatric congeners. *Bruce A. Wagner, Anthony A. Echelle,* and *O. Eugene Maughan* 251

A new *Helminthoglypta* (*Rothelix*) (Gastropoda: Pulmonata: Helminthoglyptidae) from southern California with comments on its probable evolutionary relationships. *Richard L. Reeder* and *Walter B. Miller* 261

Canopy rainfall interception and throughfall in burned and unburned tallgrass prairie. *Frank S. Gilliam, Tim R. Seastedt,* and *Alan K. Knapp* 267

Notes

The seminole bat, *Lasiurus seminolus* (Chiroptera: Vespertilionidae), from central Oklahoma. *William Caire* and *Monte L. Thies* 273

Reproductive activity of male *Crotalus atrox* and *C. scutulatus* (Reptilia: Viperidae) in northeastern Chihuahua, Mexico. *James S. Jacob, Stephen R. Williams,* and *Robert P. Reynolds* 273

The status of the amargosa toad (*Bufo nelsoni*) in the Amargosa River drainage of Nevada. *Ronald Altig* and *C. Kenneth Dodd, Jr.* 276

First record of *Lechea pulchella* (Cistaceae) for Texas. *David E. Lemke* 278

Falcaria vulgaris Bernh. (Apiaceae): new to Louisiana. *R. Dale Thomas* and *Larry R. Raymond* 279

Natural nests and egg clutches of the Texas spotted whiptail, *Cnemidophorus gularis gularis* (Sauria: Teiidae), from northcentral Texas. *Stanley E. Trauth* 279

A large bighorn sheep, *Ovis canadensis* (Artiodactyla: Bovidae), from the Late Pleistocene of Colorado. *Xiaoming Wang* and *John F. Neas* 281

Prey-impaling by the black-billed magpie. *Leroy H. Banicki* 283

Notes on distribution, habitat, and sexual dimorphism of *Gerrhonotus kingii* (Lacertilia: Anguidae). *R. Alec Knight* and *Doug Duerre* 283

A recent specimen of the Texas kangaroo rat, *Dipodomys elator* (Heteromyidae), from Oklahoma. *George D. Baumgardner* 285

Interactions between bald eagles (*Haliaeetus leucocephalus*: Accipitridae) and river otters (*Lutra canadensis*: Mustelidae). *Jay S. W. Tischendorf, Catherine Frazer,* and *Teryl G. Grubb* 286

Aquatic insects of McKittrick Creek, Guadalupe Mountains National Park, Texas. *Richard D. Meyerhoff* and *Owen T. Lind* 288

Number 3

Articles

Microhabitat associations of small mammals in southeastern Colorado, with special emphasis on *Peromyscus* (Rodentia). *David O. Ribble* and *Fred B. Samson* 291

Benthic metabolism in a perennial and an intermittent Texas Prairie stream. *B. H. Hill* and *T. J. Gardner* 305

The effect of nectar availability on the foraging behavior of the stingless bee *Trigona testacea*. *Carlos Martinez del Rio* and *Luis E. Eguiarte* 313

Behavior and movement patterns of the tree lizard *Urosaurus ornatus* (Sauria: Iguanidae) in semi-natural enclosures. *Naida Zucker* 321

Tree succession in the subalpine forest of the Neo-volcanic Range, south-central Mexico. *R. I. Yeaton, A. Romero Manzanares, G. Vera Castillo,* and *S. Vielegas* 335

Lizard malaria in Arizona: island biogeography of *Plasmodium chiricahuae* and *Sceloporus jarrovi*. *Jerome L. Mahrt* 347

Movements and growth of fishes in the Gila River drainage, Arizona and New Mexico. *Kevin R. Bestgen, Dean A. Hendrickson, Dennis M. Kubly,* and *David L. Propst* 351

The scoliid wasps of the southwestern United States (Hymenoptera:Scoliidae). *William P. MacKay* 357

Activity patterns of neotropical bats (Chiroptera: Phyllostomidae) in Guerrero, Mexico. *Jose Ramirez-Pulido* and *Miguel A. Armella* 363

Analysis of Pacific coast Townsend chipmunks (Rodentia: Sciuridae). *Dallas A. Sutton* 371

Number of oil-killed birds and fate of bird carcasses at crude oil pits in Texas. *Edward L. Flickinger* and *Christine M. Bunck* 377

Paleoenvironmental significance of Late Quaternary insect fossils from packrat middens in south-central New Mexico. *Scott A. Elias* 383

Notes

First record of *Myotis auriculus* from Guatemala. *Robert S. Hoffman, J. Knox Jones, Jr.,* and *J. A. Campbell* 391

Long-tongued bat and spotted bat at Las Vegas, Nevada. *Denny G. Constantine* 392

Reproductive characteristics of the Cerralvo Island whiptail lizard, *Cnemidophorus ceralbensis* (Teiidae). *Harry L. Taylor* and *J. Martin Walker* 392

Diet of adult and juvenile six-lined racerunners, *Cnemidophorus sexlineatus* (Sauria: Teiidae). *Mark A. Paulissen* 395

Blue-winged X cinnamon teal hybrid in the southern High Plains, Texas. *Ralph D. Godfrey, Jr.,* and *Alan M. Fedynich* 397

Autumal breeding acorn woodpeckers in southern New Mexico. *Jack F. Cully, Jr.* 399

Succession in tree pits following cabling in pinyon-juniper communities. *M. R. Schott* and *Rex D. Pieper* 399

Continuous breeding at a barn owl nest in Texas. *Mark C. Witmer* and *Rick E. Patrick* 402

Gross antler anomaly in a California mule deer: the "cactus" buck. *Daniel W. Baber* 404

Noteworthy milk snakes (*Lampropeltis triangulum*) from Texas. *Chris T. McAllister, Rocky Ward,* and *Kenneth L. Williams* 406

Fishes of the Rio Grande between Elephant Butte and Caballo reservoirs, New Mexico. *David L. Propst, Gerald L. Burton,* and *Bryan H. Pridgeon* 408

Food habits of *Moxostoma congestum* and *Cycleptus elongatus* (Catostomidae: Cypriniformes) in Black River, Eddy County, New Mexico. *David E. Cowley* and *James E. Sublette* 411

Number 4

Articles

Age and sexual variation in the diet of collared lizards (*Crotaphytus collaris*). *Troy L. Best* and *Gary S. Pfaffenberger* 415

Foraging behavior of *Uta stansburiana* and *Cnemidophorus tigris* in two different habitats. *David K. Peterson* and *Walter G. Whitford* 427

Seasonal variation of critical thermal maximum in the redbelly dace, *Phoxinus erythrogaster* (Cyprinidae). *Nancy L. Scott* 435

Life history of *Etheostoma punctulatum* (Pisces: Percidae) in northeastern Oklahoma. *Stephen P. Vives* 439

Diets of two desert mule deer herds in Big Bend National Park, Texas. *Bruce D. Leopold* and *Paul R. Krausman* 449

Food habits of the bobcat in two habitats of the southern Chihuahuan Desert. *Miguel Delibes* and *Fernando Hiraldo* 457

Xanthoteras sp. (Hymenoptera: Cynipidae) gall abundance on shinnery oak (*Quercus havardii*) in New Mexico: an indicator of plant stress? *Gary Dodson* 463

Light requirements for growth of *Prosopis glandulosa* seedlings. *J. K. Bush* and *O. W. Van Auken* 469

Resin and rubber content in *Chrysothamnus*. *Dale Hegerhorst, Darrell W. Weber*, and *E. Durant McArthur* 475

Una neuva especie de *Berberis* (Berberidaceae), para los estados de Queretaro e Hidalgo, Mexico. *Sergio Zamudio-Ruiz* y *Jorge S. Marroquin* 483

Patterns of faunal succession in *Agave palmeri*. *Gwendolyn L. Waring* and *Robert L. Smith* 489

Cyanogenic glycosides in ant-acacias of Mexico and Central America. *David S. Seigler* and *John E. Ebinger* 499

Notes

First record of the mite, *Ewingana* (*Doreyana*) *doreyae* Dusbábek 1968 (Acarina, Myobiidae) from the United States with notes on streblid flies from Big Bend National Park, Texas. *John O. Whitaker, Jr., David A. Easterla*, and *A. Fain* 505

Notas sobre predacion de Aves en Reptiles. *Armando J. Contreras-B.* y *Carlos H. Treviño-S.*. 505

A specimen record of the barnacle goose in Texas. *Eric G. Bolen* 506

Abert's squirrel above treeline on the San Francisco Peaks, Arizona. *David J. Cooper* 507

A nine-banded armadillo, *Dasypus novemcinctus* (Dasypodidae), in Colorado. *Carron A. Meaney, Steven J. Bissell*, and *Jennifer S. Slater* 507

First record of *Noctilio albiventris* (Chiroptera: Noctilionidae) in Mexico. *Oscar J. Polaco* ... 508

Bison occidentalis in western Oklahoma. *Henry Kirkland* and *Nell Looper* 509

Reproductive cycle of the giant spotted whiptail, *Cnemidophorus burti stictogrammus*, in Arizona. *Stephen R. Goldberg* 510

Ingestion of spinose ear ticks, *Otobius megnini* (Acari: Argasidae) by a Texas spotted whiptail, *Cnemidophorus gularis gularis* (Sauria: Teiidae). *Chris T. McAllister* 511

Defensive head posture in horned lizards (*Phrynosoma*: Sauria: Iguanidae). *Wade C. Sherbrooke* 512

Chemosensory behaviors of neonate prairie rattlesnakes, *Crotalus viridis*. *Brent M. Graves, Geoffrey C. Carpenter*, and *David Duvall* 515

Observations on aquatic turtles in a northeastern Missouri marsh. *Christopher P. Kofron* and *A. Alan Schreiber* 517

The golden topminnow, *Fundulus chrysotus* (Cyrpinodontidae), an addition to the fish fauna of Oklahoma. *Stephen M. Secor* 522

Reproduction in *Polemonium*: intra- and inter-plant variability in seed weights. *Michael Zimmerman* 525